


Uponor S-Press tee 50-50-50

1046928

- Made of tin-plated brass
- Fast installation with easy bevel and without calibration
- Inspection windows on press sleeve
- Colour code



About Uponor S-Press tee

Specification

- Tin-plated brass or PPSU
- With fixed press sleeve
- Stop ring
- Colour code
- Test safety
- Male and female threads to BS EN 10226-1

Application

Tested/approved according to BS EN ISO 21003 Multilayer piping systems for hot and cold water installations inside buildings for application class 1,2,4,5/10bar

Domestic water services: The permanent operating temperature from 20°C to 70°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 95°C for a period of 100 hours in the operating life time.

Domestic cold water services : where the water temperature does not exceed 20°C at a maximum permanent operating pressure of 16bar.

Heating: The permanent operating temperature ranges up to 80°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 100°C for a period of 100 hours in the operating life time.


Certification

- UK Reg4 approval
- WRAS or
- KIWA

To meet the requirements of the Water Supply (Water Fittings) Regulations 1999

Uponor S-Press tee 50-50-50

1046928



Product code

| | |
|--------------|----------------|
| Item no EAN | 4021598114258 |
| Item no GF | 35001046928 |
| Item no GTIN | 04021598114258 |
| Item no VVS | 045476050 |

Dimensions

| | |
|------------------|-------|
| Item Unit Height | 53 |
| Item Unit Length | 160 |
| Item Unit Weight | 0,981 |
| Item Unit Width | 105 |
| Item_UOM | pce |

Measurements

| | |
|-------------|------|
| Length (l1) | 78,5 |
| Length (l2) | 78,5 |
| Length (l3) | 78,5 |
| z1 | 40,6 |
| Z2 | 40,6 |
| Z3 | 40,6 |

Packaging

| | |
|------------------------|----------------|
| Packaging GTIN PL1 | 06414905460694 |
| Packaging GTIN PL4 | 06414905555376 |
| Packaging Height PL1 | 105 |
| Packaging Height PL4 | 645 |
| Packaging Length PL1 | 176 |
| Packaging Length PL4 | 800 |
| Packaging Quantity PL1 | 3 |
| Packaging Quantity PL4 | 300 |
| Packaging Type PL1 | Base_Box |

| | |
|----------------------|------------|
| Packaging Type PL4 | Pallet |
| Packaging Volume PL1 | 0,00373296 |
| Packaging Volume PL4 | 0,6192 |
| Packaging Weight PL1 | 2,983 |
| Packaging Weight PL4 | 318,3 |
| Packaging Width PL1 | 202 |
| Packaging Width PL4 | 1200 |

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb