
Product data sheet



GF Uponor Uni-X compression adapter MLC NL 14-15mm

1048100

- Demountable and resealable compression adapter.
- Union nut and insert
- Made of brass
- For connection of Uponor Uni-Pipe PLUS and MLC pipes to radiator valves such as VSH and Bonfix
- Female thread 1/2" according to BS EN ISO 228-1
- Pipe must be calibrated, no bevel



About GF Uponor Uni-X compression adapter MLC NL

Specification


- Compression fittings with eurocone and metric connections
- Made of brass or tin-plated brass depending on variant
- Compatible with Uponor Uni Pipe PLUS and MLC pipes
- Female and male thread options according to EN ISO 228-1
- No bevel required for installation

Application

For connection of
- drinking water systems
- heating systems
- radiant heating and cooling systems

GF Uponor Uni-X compression adapter MLC NL 14-15mm

1048100



Measurements

Cylindric_thread_G	G 1/2
LENGTH_L	22,5
Length (l1)	14
z1	2,4

Product code

Item no EAN	4021598116795
Item no GTIN	04021598116795

Dimensions

Item Unit Height	26
Item Unit Length	24
Item Unit Weight	0,047
Item Unit Width	26
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905404995
Packaging GTIN PL3	06414905405008
Packaging GTIN PL4	06414905405015
Packaging Height PL1	30
Packaging Height PL3	89
Packaging Height PL4	678
Packaging Length PL1	35
Packaging Length PL3	176
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL3	25

Packaging Quantity PL4	4800
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0000315
Packaging Volume PL3	0,00211464
Packaging Volume PL4	0,65088
Packaging Weight PL1	0,057
Packaging Weight PL3	1,533
Packaging Weight PL4	319,24
Packaging Width PL1	30
Packaging Width PL3	135
Packaging Width PL4	800

Technical documents

Download documents here

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E customerservice.uk.bfs@georgfischer.com

www.uponor.com/en-gb

+GF+