
Product data sheet



GF Uponor Uni-C compression adapter MLC FT 20-1/2"

1058088

- For connection of Uni-Pipe PLUS and MLC to Uni-C manifolds
- Demountable and resealable
- Union nut and insert
- Female thread 1/2" to BS EN ISO 228-1
- Pipe must be calibrated, no bevel



About GF Uponor Uni-C compression adapter MLC FT

Specification


- Modular brass manifold system with male threaded connections
- Components made of tin-plated or plated brass; brackets in galvanised steel
- Compatible with ½" Uni-C compression adapters for MLC and Uni Pipe PLUS pipes
- Thread standards according to EN ISO 228-1 / DIN
- System includes manifolds, valves, end caps, plugs, brackets, couplings, and adapters

Application

- Distribution and connection of tap water
- Manifold-based installations with male threaded connections
- Adaptation between Uponor pipe systems (Uni Pipe PLUS, MLC) and Uponor ½" threaded components
- Use in residential and light commercial installations
- Flexible system extension via manifolds, adapters, and accessories

GF Uponor Uni-C compression adapter MLC FT 20-1/2"

1058088



Measurements

Cylindric_thread_G	0,5
LENGTH_L	25,7
Length (l1)	14,1
Length (l2)	6,1
z1	7,3

Product code

Item no EAN	4021598119659
Item no GF	35001058088
Item no GTIN	04021598119659
Item no VVS	045467239

Dimensions

Item Unit Height	32
Item Unit Length	27
Item Unit Weight	0,084
Item Unit Width	32
Item_UOM	pce

Status

MTO (longer delivery times)	Item available on request, minimum lead time 2 weeks

Packaging

Packaging GTIN PL1	06414905409273
Packaging GTIN PL3	06414905409280
Packaging GTIN PL4	06414905409297
Packaging Height PL1	32
Packaging Height PL3	89
Packaging Height PL4	411

Packaging Length PL1	27
Packaging Length PL3	176
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL3	25
Packaging Quantity PL4	2400
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000027648
Packaging Volume PL3	0,00211464
Packaging Volume PL4	0,39456
Packaging Weight PL1	0,086
Packaging Weight PL3	2,24
Packaging Weight PL4	240,04
Packaging Width PL1	32
Packaging Width PL3	135
Packaging Width PL4	800

Technical documents

Download documents here

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E customerservice.uk.bfs@georgfischer.com

www.uponor.com/en-gb

+GF+