


## Uponor Uni-X compression adapter MLC 14-3/4"FT Euro

**1058089**

- Demountable and resealable compression adapter.
- Union nut and insert
- Made of brass
- For connection of Uponor Uni-Pipe PLUS and MLC pipes to manifolds
- Female thread 3/4" Eurocone according to BS EN ISO 228-1
- Pipe must be calibrated, no bevel



### About Uponor Uni-X compression adapter MLC

#### Specification

- Compression fittings with eurocone and metric connections
- Made of brass or tin-plated brass depending on variant
- Compatible with Uponor Uni Pipe PLUS and MLC pipes
- Female and male thread options according to EN ISO 228-1
- No bevel required for installation


#### Application

For connection of

- drinking water systems
- heating systems
- radiant heating and cooling systems

## Uponor Uni-X compression adapter MLC 14-3/4"FT Euro

1058089



### Measurements

Cylindric_thread_G	0,75
LENGTH_L	22,5
Length (l1)	12,9
z1	3,2

### Product code

Item no EAN	4021598119666
Item no GF	35001058089
Item no GTIN	04021598119666

### Dimensions

Item Unit Height	30
Item Unit Length	20
Item Unit Weight	0,05
Item Unit Width	30
Item_UOM	pce

### Status

MTO (longer delivery times) Item available on request, minimum lead time 2 weeks

### Packaging

Packaging GTIN PL1	06414905409303
Packaging GTIN PL3	06414905409341
Packaging GTIN PL4	06414905409358
Packaging Height PL1	32
Packaging Height PL3	89
Packaging Height PL4	850
Packaging Length PL1	22
Packaging Length PL3	176
Packaging Length PL4	1200
Packaging Quantity PL1	1

Packaging Quantity PL3	25
Packaging Quantity PL4	2400
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000022528
Packaging Volume PL3	0,00211464
Packaging Volume PL4	0,816
Packaging Weight PL1	0,06
Packaging Weight PL3	1,289
Packaging Weight PL4	171,84
Packaging Width PL1	32
Packaging Width PL3	135
Packaging Width PL4	800

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
 WD18 8GA, Watford  
 UK

T +44 (0)1923 927000  
 E enquiries.uk@uponor.com

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)