


## Uponor Uni-X compression adapter MLC 20-3/4"FT Euro

1058092

- Demountable and resealable compression adapter.
- Union nut and insert
- Made of brass
- For connection of Uponor Uni-Pipe PLUS and MLC pipes to manifolds
- Female thread 3/4" Eurocone according to BS EN ISO 228-1
- Pipe must be calibrated, no bevel



### About Uponor Uni-X compression adapter MLC

#### Specification

- Compression fittings with eurocone and metric connections
- Made of brass or tin-plated brass depending on variant
- Compatible with Uponor Uni Pipe PLUS and MLC pipes
- Female and male thread options according to EN ISO 228-1
- No bevel required for installation


#### Application

For connection of

- drinking water systems
- heating systems
- radiant heating and cooling systems

## Uponor Uni-X compression adapter MLC 20-3/4"FT Euro

1058092



### Measurements

Cylindric_thread_G	0,75
LENGTH_L	23,7
Length (l1)	14,1
z1	3

### Product code

Item no EAN	4021598119697
Item no GF	35001058092
Item no GTIN	04021598119697
Item no LVI	1720677
Item no NOBB	48505285
Item no NRF	5071445
Item no RSK	1882156
Item no VVS	045467620

### Dimensions

Item Unit Height	21
Item Unit Length	49
Item Unit Weight	0,05
Item Unit Width	19
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414905409471
Packaging GTIN PL3	06414905409488
Packaging GTIN PL4	06414905409495
Packaging Height PL1	23
Packaging Height PL3	89
Packaging Height PL4	850
Packaging Length PL1	50

Packaging Length PL3	176
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL3	25
Packaging Quantity PL4	2400
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000023
Packaging Volume PL3	0,00211464
Packaging Volume PL4	0,816
Packaging Weight PL1	0,06
Packaging Weight PL3	1,289
Packaging Weight PL4	144
Packaging Width PL1	20
Packaging Width PL3	135
Packaging Width PL4	800

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)