Product data sheet



GF Uponor Magna manifold bayonet segment 1 1/2" 14m3/h

1058340

- Flow and Return as single segment
- Industrial Basic Kit and Uponor Bayonet Joint is necessary



About GF Uponor Magna manifold bayonet segment

Specification

- Magna industrial heating system
- Loops 2-5 6-9 10-14 15-19 20
- Bracket 2 3 4 5 6
- Spacing outlet 100 mm

Application

- industrial and commercial large surface heating
- for use inside concrete
- max. 20 loops
- max. pressure: 6 bar at 60°C

GF Uponor Magna manifold bayonet segment 1 1/2" 14m3/h

1058340



Product code

Item no EAN	4016203806581
Item no GTIN	04016203806581
Item no VVS	046252211

Dimensions

Item Unit Height	60
Item Unit Length	125
Item Unit Weight	0,71
Item Unit Width	125
Item_UOM	set

Packaging

Packaging GTIN PL1	06414905463121
Packaging GTIN PL3	06414905449347
Packaging GTIN PL4	06414905656028
Packaging Height PL1	50
Packaging Height PL3	200
Packaging Height PL4	1500
Packaging Length PL1	300
Packaging Length PL3	520
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL3	10
Packaging Quantity PL4	210
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet

Packaging Volume PL1	0,01125
Packaging Volume PL3	0,02288
Packaging Volume PL4	1,44
Packaging Weight PL1	0,73
Packaging Weight PL3	7,35
Packaging Weight PL4	179,35
Packaging Width PL1	750
Packaging Width PL3	220
Packaging Width PL4	800

Technical documents

Download documents here

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E customerservice.uk.bfs@georgfischer.com

www.uponor.com/en-gb

+GF+