Product data sheet



GF Uponor Magna manifold bayonet joint 32

1058341

- Made of brass
- For PE-Xa
- Item 1058341 is not compatible with item 1005403 and 1005420
- Item 1058342 is not compatible with item 1005404 and 1005421



About GF Uponor Magna manifold bayonet joint

Specification

- Magna industrial heating system
- Loops 2-5 6-9 10-14 15-19 20
- Bracket 2 3 4 5 6
- Spacing outlet 100 mm

Application

- industrial and commercial large surface heating
- for use inside concrete
- max. 20 loops
- max. pressure: 6 bar at 60°C

GF Uponor Magna manifold bayonet joint 32

1058341



Product code

Item no EAN	4016203806604
Item no GTIN	04016203806604
Item no VVS	046252212

Dimensions

Item Unit Height	40
Item Unit Length	80
Item Unit Weight	1
Item Unit Width	40
Item_UOM	set

Packaging

Packaging GTIN PL1	06414905463138
Packaging GTIN PL3	06414905449354
Packaging GTIN PL4	06414905656035
Packaging Height PL1	50
Packaging Height PL3	135
Packaging Height PL4	1500
Packaging Length PL1	300
Packaging Length PL3	390
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL3	10
Packaging Quantity PL4	480
Packaging Type PL1	Base_Box
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00375
Packaging Volume PL3	0,0100035
Packaging Volume PL4	1,44

Packaging Weight PL1	1,05
Packaging Weight PL3	10,1
Packaging Weight PL4	509,8
Packaging Width PL1	250
Packaging Width PL3	190
Packaging Width PL4	800

Technical documents

Download documents here

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E customerservice.uk.bfs@georgfischer.com

www.uponor.com/en-gb

+GF+