
Product data sheet




GF Uponor Q&E coupling PL 12-12

1058467

- Made of DR brass (lead-free)





About GF Uponor Q&E coupling PL

Specification


- Q&E fittings and rings for Uponor PE-Xa pipes
- Metal fittings are made of high quality brass
- Plastic fittings are made of PPSU
- Q&E rings must be ordered separately
- Threads acc. To BS EN 10226-1


Application

For connection of
- drinking water systems
- heating systems
- radiant heating and cooling systems

GF Uponor Q&E coupling PL 12-12

1058467





Product code

Item no EAN	4021598119857
Item no GTIN	04021598119857
Item no NOBB	47366461
Item no NRF	5110942
Item no VVS	045319112

Dimensions

Item Unit Height	18
Item Unit Length	33
Item Unit Weight	0,02
Item Unit Width	18
Item_UOM	pce

Measurements

LENGTH_L	33
Length (l1)	15
Length (l2)	15
z1	3

Packaging

Packaging GTIN PL1	06414905463268
Packaging GTIN PL3	06414905449415
Packaging GTIN PL4	06414905495474
Packaging Height PL1	20
Packaging Height PL3	95
Packaging Height PL4	744
Packaging Length PL1	120
Packaging Length PL3	280

Packaging Length PL4	1200
Packaging Quantity PL1	10
Packaging Quantity PL3	250
Packaging Quantity PL4	24000
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00024
Packaging Volume PL3	0,004921
Packaging Volume PL4	0,71424
Packaging Weight PL1	0,201
Packaging Weight PL3	5,215
Packaging Weight PL4	525,64
Packaging Width PL1	100
Packaging Width PL3	185
Packaging Width PL4	800

Technical documents

Download documents here

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E customerservice.uk.bfs@georgfischer.com

www.uponor.com/en-gb

+GF+