Product data sheet



GF Uponor Q&E reducer PL 16-12

1058468

- Made of DR brass (lead-free)





About GF Uponor Q&E reducer PL

Specification

- Q&E fittings and rings for Uponor PE-Xa pipes
- Metal fittings are made of high quality brass
- Plastic fittings are made of PPSU
- Q&E rings must be ordered separately
- Threads acc. To BS EN 10226-1

Application

For connection of
- drinking water systems
- heating systems
- radiant heating and cooling systems

GF Uponor Q&E reducer PL 16-12

1058468





Product code

Item no EAN	4021598119864
Item no GTIN	04021598119864

Dimensions

Item Unit Height	35
Item Unit Length	10
Item Unit Weight	0,1
Item Unit Width	8
Item_UOM	pce

Measurements

LENGTH_L	36
Length (l1)	18
Length (l2)	15
z1	3

Packaging

Packaging GTIN PL1	06414905409983
Packaging GTIN PL3	06414905409990
Packaging GTIN PL4	06414905410002
Packaging Height PL1	100
Packaging Height PL3	140
Packaging Height PL4	564
Packaging Length PL1	100
Packaging Length PL3	250
Packaging Length PL4	1200
Packaging Quantity PL1	10
Packaging Quantity PL3	200

Packaging Quantity PL4	19200
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0001
Packaging Volume PL3	0,004725
Packaging Volume PL4	0,54144
Packaging Weight PL1	1,001
Packaging Weight PL3	25,125
Packaging Weight PL4	2437
Packaging Width PL1	10
Packaging Width PL3	135
Packaging Width PL4	800

Technical documents

Download documents here

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E customerservice.uk.bfs@georgfischer.com

www.uponor.com/en-gb

+GF+