Product data sheet



GF Uponor Combi Pipe white opaque PN6 16x1,8 100m

1059182

- Operating pressure 6 bar
- Coils
- White with opaque layer



About GF Uponor Combi Pipe white opaque PN6

Specification

- Pipes manufactured from cross-linked polyethylene - PE-Xa acc. BS EN ISO 15875
- Fire class E according to BS EN 13501-1.
- Conduits manufactured from high density polyethylene

- EVOH (ethylene vinyl alcohol) layer for oxygen diffusion resistance as per DIN 4726

Application

- Tap water: The permanent operating temperature ranges from 0°C to 70°C at a maximum permanent operating pressure of 6 bar. The short-term malfunction temperature is 95°C for a period of 100 hours in the operating life time.

- Underfloor heating and low temperature radiators

- Heating: The permanent operating temperature ranges up to 80°C at a maximum permanent operating pressure of 6 bar. The short-term malfunction temperature is 100°C for a period of 100 hours in the operating life time.

GF Uponor Combi Pipe white opaque PN6 16x1,8 100m

1059182



Product code

Item no EAN	6414905514403
Item no GF	35001059182
Item no GTIN	06414905514403

Dimensions

Item Unit Height	16
Item Unit Length	1000
Item Unit Weight	0,14
Item Unit Width	16
Item_UOM	m

Measurements

Outer Diameter_do	16
Wall thickness_s	1,8

Packaging

Packaging GTIN PL1	06414905410422
Packaging GTIN PL4	06414905410439
Packaging Height PL1	804
Packaging Height PL4	948
Packaging Length PL1	788
Packaging Length PL4	1200
Packaging Quantity PL1	100
Packaging Quantity PL4	1100
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,068423616
Packaging Volume PL4	0,91008

Packaging Weight PL1	14,1
Packaging Weight PL4	176
Packaging Width PL1	108
Packaging Width PL4	800

Technical documents

Download documents here

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E customerservice.uk.bfs@georgfischer.com

www.uponor.com/en-gb

+GF+