


## Uponor RS flange adapter RS2-DN65 (PN16)

**1059399**

- Made of tin-plated brass
- Connects to RS2 or RS3 base parts depending on the flange size or base part size
- Flange PN6/PN16 acc. to BS EN 1092-3
- Bolt circle with 4/8 holes.



### About Uponor RS flange adapter

#### Specification

- Tin-plated brass
- Fixed press sleeve with inspection windows
- Stop ring
- Colour code
- Test safety
- Male and female threads to BS EN 10226-1

#### Application

Tested/approved according to BS EN ISO 21003 Multilayer piping systems for hot and cold water installations inside buildings for application class 1,2,4,5/10bar

Domestic water services: The permanent operating temperature from 20°C to 70°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 95°C for a period of 100 hours in the operating life time.

Domestic cold water services : where the water temperature does not exceed 20°C at a maximum permanent operating pressure of 16bar.

Heating: The permanent operating temperature ranges up to 80°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 100°C for a period of 100 hours in the operating life time.

#### Certification


UK Reg4 approval

- WRAS or
- KIWA

To meet the requirements of the Water Supply (Water Fittings) Regulations 1999

## Uponor RS flange adapter RS2-DN65 (PN16)

1059399



### Measurements

Inner_diameter_di	48,7
LENGTH_L	45
Outer Diameter_do	185
Z Measurement k	145
z1	25

### Product code

Item no EAN	4021598121713
Item no GF	35001059399
Item no GTIN	04021598121713
Item no NRF	5071282
Item no RSK	1897884
Item no VVS	045458065

### Dimensions

Item Unit Height	46
Item Unit Length	190
Item Unit Weight	4,25
Item Unit Width	190
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414905481460
Packaging GTIN PL4	06414905481477
Packaging Height PL1	58
Packaging Height PL4	700
Packaging Length PL1	220
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL4	90

Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0026796
Packaging Volume PL4	0,672
Packaging Weight PL1	4,35
Packaging Weight PL4	407,5
Packaging Width PL1	210
Packaging Width PL4	800

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)