
Product data sheet




GF Uponor Ecoflex elbow insulation set 200/175/140

1060985

- Elbow set for connecting Ecoflex pipes
- ABS half sheels with insulation and reducer
- Traffic load of 60 tons





About GF Uponor Ecoflex elbow insulation set

Specification

- All accessories are corrosion resistant.

Application


- Ecoflex accessories are designed for all below ground buried installations


Certification

-

GF Uponor Ecoflex elbow insulation set 200/175/140

1060985





Measurements

Inner_diameter_di1	200
Inner_diameter_di2	175
Inner_diameter_di3	140
LENGTH_L	806
Length (l1)	562,5
Length (l2)	562,5

Product code

Item no EAN	6414905202683
Item no GF	35001060985
Item no GTIN	06414905202683
Item no LVI	3010402
Item no NOBB	47288780
Item no NRF	8360832
Item no RSK	2190472
Item no VVS	087910802

Dimensions

Item Unit Height	840
Item Unit Length	830
Item Unit Weight	10,6
Item Unit Width	310
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905464111
Packaging GTIN PL4	06414905495917
Packaging Height PL1	335

Packaging Height PL4	900
Packaging Length PL1	1170
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL4	3
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,3096405
Packaging Volume PL4	0,864
Packaging Weight PL1	10,8
Packaging Weight PL4	41
Packaging Width PL1	790
Packaging Width PL4	800

Technical documents

Download documents here

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E customerservice.uk.bfs@georgfischer.com

www.uponor.com/en-gb

+GF+