
Product data sheet



GF Uponor Ecoflex reducer ring 200/68

1060991

- Match different pipe casing dimensions in an insulation set



About GF Uponor Ecoflex reducer ring

Specification

- All accessories are corrosion resistant.

Application


- Ecoflex accessories are designed for all below ground buried installations

Certification

-

GF Uponor Ecoflex reducer ring 200/68

1060991



Measurements

Inner_diameter_di	68
LENGTH_L	70
Outer Diameter_do	229

Product code

Item no EAN	6414905202768
Item no GF	35001060991
Item no GTIN	06414905202768
Item no LVI	3010405
Item no NOBB	48165698
Item no NRF	8360835
Item no RSK	4054834
Item no VVS	087279068

Dimensions

Item Unit Height	70
Item Unit Length	229
Item Unit Weight	0,086
Item Unit Width	229
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905464166
Packaging GTIN PL3	06414905449835
Packaging Height PL1	70
Packaging Height PL3	305
Packaging Length PL1	229
Packaging Length PL3	590

Packaging Quantity PL1	1
Packaging Quantity PL3	8
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Volume PL1	0,00367087
Packaging Volume PL3	0,0701805
Packaging Weight PL1	0,09
Packaging Weight PL3	0,72
Packaging Width PL1	229
Packaging Width PL3	390

Technical documents

Download documents here

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E customerservice.uk.bfs@georgfischer.com

www.uponor.com/en-gb

+GF+