Product data sheet



GF Uponor Renovis clamp track 20mm l=250mm

1061162

- Clamp track for pipes 9.9mm
- Centres c-c 50mm
- With self-adhesive fixing



About GF Uponor Renovis clamp track

Specification

- Renovis prefab heating and cooling panel system, with embedded pipes 9.9mm.
- Based on15mm fibre-reinforced gypsum panel
- Fire class E to BS EN 13501-1
- For mounting on defined dry-build sub constructions

Application

- Ideal for new-build and rennovation projects
- Radiant wall and ceiling heating and cooling
- For dry-build installations

GF Uponor Renovis clamp track 20mm l=250mm

1061162



Measurements

Distance center center	50
LENGTH_L	250
Outer Diameter_do	20
Z Measurement b	40
Z Measurement h	26

Product code

Item no EAN	4021598121935
Item no GTIN	04021598121935

Dimensions

Item Unit Height	28
Item Unit Length	247
Item Unit Weight	0,08
Item Unit Width	38
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905464326
Packaging Height PL1	80
Packaging Length PL1	250
Packaging Material (number) PL1	4
Packaging Material PL1	Low density polyethylene
Packaging Material (short) PL1	LDPE
Packaging Quantity PL1	15
Packaging Type PL1	Plastic_Bag
Packaging Volume PL1	0,0042
Packaging Weight PL1	1,29

Packaging Width PL1	210

Technical data

Recycling Text Block PL1	Low density polyethylene

Technical documents

Download documents here

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E customerservice.uk.bfs@georgfischer.com

www.uponor.com/en-gb

+GF+