

## Uponor Renovis component pack 4-6x

### 1061165

- For jointing of Uponor Renovis Panels to the existing heating system
- Pack for max. 15 m<sup>2</sup> radiant heating area:
- For connection of 1 loop with 4 x 3 Renovis Panels (spread 10K) or
- For connection of 1 loop with 6 x 2 Renovis Panels (spread 5K)

#### Consists on:

- 60 m Pipe PE-Xa 20x2,0 mm
- 15 pcs Rail 20 (L=250mm)
- 2 pcs Q&E Red- Coupling 20-9,9
- 10 pcs Q&E Coupling 9,9-9,9
- 15 pcs Q&E Tee 20-9,9-20
- 2 pcs Manifold connection 20-G3/4



## About Uponor Renovis component pack

### Specification

- Renovis prefab heating and cooling panel system, with embedded pipes 9.9mm.
- based on 15mm fibre-reinforced gypsum panel
- Fire class E to BS EN 13501-1
- for mounting on defined dry-build sub constructions

### Application

- Ideal for new-build and renovation projects
- Radiant wall and ceiling heating and cooling
- For dry-build installations

## Uponor Renovis component pack 4-6x

1061165



### Product code

Item no EAN 4021598121874

Item no GTIN 04021598121874

### Dimensions

Item Unit Height 21

Item Unit Length 1000

Item Unit Weight 8,8

Item Unit Width 21

Item\_UOM set

### Packaging

Packaging GTIN PL1 06414905412747

Packaging GTIN PL4 06414905412754

Packaging Height PL1 89

Packaging Height PL4 678

Packaging Length PL1 176

Packaging Length PL4 1200

Packaging Quantity PL1 1

Packaging Quantity PL4 10

Packaging Type PL1 Base\_Box

Packaging Type PL4 Pallet

Packaging Volume PL1 0,00211464

Packaging Volume PL4 0,65088

Packaging Weight PL1 8,89

Packaging Weight PL4 104

Packaging Width PL1 135

Packaging Width PL4 800

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)