
Product data sheet




GF Uponor Renovis panel 800x625x15mm

1061173

- Panel with embedded piping
- Active surface of Renovis system





About GF Uponor Renovis panel

Specification


- Renovis prefab heating and cooling panel system, with embedded pipes 9.9mm.
- Based on15mm fibre-reinforced gypsum panel
- Fire class E to BS EN 13501-1
- For mounting on defined dry-build sub constructions


Application

- Ideal for new-build and rennovation projects
- Radiant wall and ceiling heating and cooling
- For dry-build installations

GF Uponor Renovis panel 800x625x15mm

1061173





Product code

Item no EAN	4021598124332
Item no GF	35001061173
Item no GTIN	04021598124332
Item Replacement 1	1248654

Dimensions

Item Unit Height	15
Item Unit Length	800
Item Unit Weight	7,3
Item Unit Width	625
Item_UOM	pce

Measurements

LENGTH_L	800
Z Measurement h	15
Z Measurement w	625

Packaging

Packaging GTIN PL1	06414900325059
Packaging GTIN PL4	06414905495955
Packaging Height PL4	400
Packaging Length PL4	1200
Packaging Quantity PL4	24
Packaging Type PL4	Pallet
Packaging Volume PL4	0,384
Packaging Weight PL4	200,2
Packaging Width PL4	800

Technical documents

Download documents here

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E customerservice.uk.bfs@georgfischer.com

www.uponor.com/en-gb

+GF+