

## Uponor Vario fill and drain valve 3/4" - 3/4"

1061802

- For Pumpgroup Push 12
- With rotatable hose connection



### About Uponor Vario fill and drain valve

#### Specification

- Components made of brass, nickel-plated brass, steel, and engineered plastics
- Eurocone, threaded, and flat-sealing connections
- Compatible with Vario B, C, S, M, PLUS, and MAGNA manifolds
- Includes valves, flowmeters, air vents, actuators, and adapters
- Designed for heating and cooling applications

#### Application

- To compliment/extend Vario manifold installations
- Flow regulation, balancing, and shut-off
- Connection of PEX, MLCP, and composite pipes
- Integration of actuators, sensors, and control units
- Commissioning, maintenance, and system optimization

## Uponor Vario fill and drain valve 3/4" - 3/4"

1061802



### Measurements

Cylindric_thread_G	0,75
Cylindric_thread_G1	0,75

### Product code

Item no EAN	4021598122307
Item no GF	35001061802
Item no GTIN	04021598122307
Item no NRF	8361183
Item no RSK	5398302
Item no VVS	381119106

### Dimensions

Item Unit Height	47
Item Unit Length	105
Item Unit Weight	0,596
Item Unit Width	73
Item_UOM	set

### Packaging

Packaging GTIN PL1	06414905464524
Packaging GTIN PL3	06414905449958
Packaging Height PL1	54
Packaging Height PL3	155
Packaging Length PL1	115
Packaging Length PL3	393
Packaging Quantity PL1	1
Packaging Quantity PL3	10
Packaging Type PL1	Base_Box
Packaging Type PL3	Box
Packaging Volume PL1	0,00050922

Packaging Volume PL3	0,01035555
Packaging Weight PL1	0,632
Packaging Weight PL3	6,56
Packaging Width PL1	82
Packaging Width PL3	170

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)