
# Product data sheet



# GF Uponor Comfort Pipe PLUS 16x2,0 120m

## 1062044

- UFH pipe made of PE-Xa
- Complying with ISO 22391 and fulfils oxygen diffusion resistance as per DIN 4726
- Application class 4 and 5
- Design pressure 6 Bar at 70°C




## About GF Uponor Comfort Pipe PLUS

### Specification


- Pipes manufactured from peroxide cross-linked polyethylene (PE-Xa) acc. BS EN ISO 15875
- EVOH (ethylene vinyl alcohol) layer for oxygen diffusion resistance as per DIN 4726
- 5layer
- Outside white PE layer designed to protect against mechanical damages
- Application class 4/5 - Underfloor heating and low tempertaure radiators
- Fire class E according to BS EN 13501-1.

### Application

- Underfloor heating and low tempertaure radiators
- Heating
- Max design temperature: 80°C
- Malfunction temperature 100°C
- Design pressure 6 Bar at 70°C

# GF Uponor Comfort Pipe PLUS 16x2,0 120m

## 1062044




### Product code

| | |
|---|---|
| Item no EAN | 7321500056148 |
| Item no GF | 35001062044 |
| Item no GTIN | 07321500056148 |
| Item no LVI | 2022243 |
| Item no RSK | 2523236 |
| Item no VVS | 087217164 |

### Dimensions

| | |
|---|---|
| Item Unit Height | 15 |
| Item Unit Length | 1000 |
| Item Unit Weight | 0,091 |
| Item Unit Width | 15 |
| Item_UOM | m |

### Measurements

| | |
|---|---|
| Outer Diameter_do | 16 |
| Wall thickness_s | 2 |

### Packaging

| | |
|---|---|
| Packaging GTIN PL1 | 06414905412808 |
| Packaging GTIN PL4 | 06414905412815 |
| Packaging Height PL1 | 804 |
| Packaging Height PL4 | 800 |
| Packaging Length PL1 | 788 |
| Packaging Length PL4 | 1200 |
| Packaging Material (number) PL1 | 20 |
| Packaging Material PL1 | corrugated cardboard / cartone |
| Packaging Material (short) PL1 | PAP_C |

| | |
|---|---|
| Packaging Quantity PL1 | 120 |
| Packaging Quantity PL4 | 1080 |
| Packaging Type PL1 | Base_Box |
| Packaging Type PL4 | Pallet |
| Packaging Volume PL1 | 0,110238 |
| Packaging Volume PL4 | 0,768 |
| Packaging Weight PL1 | 11,94 |
| Packaging Weight PL4 | 132,460 |
| Packaging Width PL1 | 124 |
| Packaging Width PL4 | 800 |

## Technical data

| | |
|---|---|
| Recycling Text Block PL1 | corrugated cardboard / cartone |

## Technical documents

Download documents here

# Excellence in Flow

Visit our webpage to get in contact with your local specialist:
**www.georgfischer.com/locations**



**Uponor UK**

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E customerservice.uk.bfs@georgfischer.com

www.uponor.com/en-gb

+GF+