
Product data sheet



GF Uponor Renovis panel passive 2000x625x15mm

1063926

- Passive panel without pipes



About GF Uponor Renovis panel passive

Specification


- Renovis prefab heating and cooling panel system, with embedded pipes 9.9mm.
- Based on15mm fibre-reinforced gypsum panel
- Fire class E to BS EN 13501-1
- For mounting on defined dry-build sub constructions

Application

- Ideal for new-build and rennovation projects
- Radiant wall and ceiling heating and cooling
- For dry-build installations

GF Uponor Renovis panel passive 2000x625x15mm

1063926



Product code

Item no EAN	4021598129467
Item no GF	35001063926
Item no GTIN	04021598129467

Dimensions

Item Unit Height	15
Item Unit Length	630
Item Unit Weight	19
Item Unit Width	2000
Item_UOM	pce

Measurements

LENGTH_L	2000
Wall thickness_s	15
Z Measurement b	625

Packaging

Packaging GTIN PL1	06414900325042
Packaging GTIN PL4	06414905496907
Packaging Height PL4	500
Packaging Length PL4	2050
Packaging Quantity PL4	24
Packaging Type PL4	Pallet
Packaging Volume PL4	0,691875
Packaging Weight PL4	481
Packaging Width PL4	675

Technical documents

Download documents here

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E customerservice.uk.bfs@georgfischer.com

www.uponor.com/en-gb

+GF+