
Product data sheet



GF Uponor Vario compression adapter PEX 12x1,7-G3/4"FT Euro

1065282

- Eurocone
- Brass



About GF Uponor Vario compression adapter PEX

Specification


- Components made of brass, nickel-plated brass, steel, and engineered plastics
- Eurocone, threaded, and flat-sealing connections
- Compatible with Vario B, C, S, M, PLUS, and MAGNA manifolds
- Includes valves, flowmeters, air vents, actuators, and adapters
- Designed for heating and cooling applications

Application

- To compliment/extend Vario manifold installations
- Flow regulation, balancing, and shut-off
- Connection of PEX, MLCP, and composite pipes
- Integration of actuators, sensors, and control units
- Commissioning, maintenance, and system optimization

GF Uponor Vario compression adapter PEX 12x1,7-G3/4"FT Euro

1065282



Measurements

Cylindric_thread_G	0,75
LENGTH_L	22,5
Length (l1)	12,9
Wall thickness_s	1,7
z1	3,2

Product code

Item no EAN	4021598127852
Item no GTIN	04021598127852
Item no LVI	2025030
Item no NOBB	48358115
Item no NRF	8361032
Item no RSK	2434579
Item no VVS	045467012

Dimensions

Item Unit Height	35
Item Unit Length	32
Item Unit Weight	0,07
Item Unit Width	35
Item_UOM	pce

Status

MTO (longer delivery times)	Item available on request, minimum lead time 2 weeks

Packaging

Packaging GTIN PL1	06414905415274
Packaging GTIN PL3	06414905415298
Packaging Height PL1	37

Packaging Height PL3	89
Packaging Length PL1	34
Packaging Length PL3	176
Packaging Quantity PL1	1
Packaging Quantity PL3	25
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Volume PL1	0,000046546
Packaging Volume PL3	0,00211464
Packaging Weight PL1	0,071
Packaging Weight PL3	1,789
Packaging Width PL1	37
Packaging Width PL3	135

Technical documents

Download documents here

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E customerservice.uk.bfs@georgfischer.com

www.uponor.com/en-gb

+GF+