Product data sheet



GF Uponor Smatrix Wave thermostatic head T-162

1071660

- Digital thermostat with actuator for radiator control
- Valve compatibility (Danfoss, Heimeier, Honeywell, Siemens, Sauter, etc.)
- Colour: glossy white

Functions:
- Comfort/ECO settings
- Weekly programmable
- Holiday mode
- Antifreeze program
- Boost function
- Backlight
- Optional: automatic summer/winter clock

Consisting of:
- Uponor Smatrix Wave thermostatic head T-162
- 2x AA batteries
- Different adaptors
- Manual





About GF Uponor Smatrix Wave thermostatic head T-162

Specification

- Up to 4 controllers in one system
- Operating voltage: 230V
- Autobalancing optimises energy use and comfort
- Electric control
- Supports up to 6 room thermostats and 8 actuators (24V) per controller
- Pump and boiler relays
- Valve and pump exercise
- Relative humidity control
- Combines underfloor heating/cooling and ceiling cooling control
- Max. power input per actuator: 24VAC / 0.2A (0.4A peak)

Smatrix Wave Pulse:
- Local access (Wi-Fi) or remote access (internet connection required) via Uponor Smatrix Pulse App (with R-208)
- Temporary wi-fi access point for direct access (if local wi-fi is not available) - (with R-208)
- Smart home ecosystem integration (Amazon Alexa, Google Home) - (with R-208)
- Multi-home control (with R-208)
- Third-party access for remote support (user allowance required) - (with R-208)
- History trend analysis via Uponor Smatrix Pulse app (with R-208)
- Timer programming (with R-208)
- Comfort settings (with R-208)
- Supply diagnostics (with R-208)

Application

- Wireless room temperature control for radiant heating and cooling
- Set point range: +5°C - +35°C

Certification

- CE, UKCA

GF Uponor Smatrix Wave thermostatic head T-162

1071660





Product code

Item no EAN	4021598130722
Item no GF	35001071660
Item no GTIN	04021598130722
Item no LVI	2024509
Item no NRF	8361212
Item no RSK	5398315
Item no VVS	466251050

Dimensions

Item Unit Height	55
Item Unit Length	85
Item Unit Weight	0,179
Item Unit Width	50
Item_UOM	pce

Measurements

LENGTH_L	85
Z Measurement h	55
Z Measurement w	50

Packaging

Packaging GTIN PL1	06414905415854
Packaging GTIN PL3	06414905630097
Packaging GTIN PL4	06414905630288
Packaging Height PL1	65
Packaging Height PL3	300
Packaging Height PL4	1500
Packaging Length PL1	175

Packaging Length PL3	400
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL3	16
Packaging Quantity PL4	384
Packaging Type PL1	Base_Box
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0011375
Packaging Volume PL3	0,036
Packaging Volume PL4	1,44
Packaging Weight PL1	0,351
Packaging Weight PL3	9,02
Packaging Weight PL4	241,48
Packaging Width PL1	100
Packaging Width PL3	300
Packaging Width PL4	800

Technical documents

Download documents here

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E customerservice.uk.bfs@georgfischer.com

www.uponor.com/en-gb

+GF+