Product data sheet



GF Uponor Uni Pipe PLUS bending tool manual 16-32

1071925

- Producing evenly formed bends in Uponor Uni-Pipe PLUS pipes with outer diameters up to 32 mm.
- Delivered complete in tool case with bending segments.



About GF Uponor Uni Pipe PLUS bending tool manual

Specification

- Oxygen diffusion resistant multi-layer composite pipe (PE-RT - adhesive – seamless aluminium/longitudinally welded aluminium - adhesive - PE-RT) produced using SACP and OWC-technology.
- Fire classification E according to EN 13501-1.
- With pipe end caps as hygienic seal according EN 806.

Application

- Tested/Approved according EN ISO 21003 Multilayer piping systems for hot and cold water installations inside buildings for application class 1,2,4,5/10bar
- Tap water: The permanent operating temperature ranges from 0°C to 70°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 95°C for a period of 100 hours in the operating life time.
- Heating: The permanent operating temperature ranges up to 80°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 100°C for a period of 100 hours in the operating life time.

GF Uponor Uni Pipe PLUS bending tool manual 16-32

1071925



Product code

Item no EAN	4021598129481
Item no GF	35001071925
Item no GTIN	04021598129481
Item no LVI	1725913
Item no NRF	5071869
Item no RSK	2112824
Item no VVS	045498633

Dimensions

Item Unit Height	38
Item Unit Length	320
Item Unit Weight	1,827
Item Unit Width	230
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905469253
Packaging GTIN PL4	06414905500048
Packaging Height PL1	58
Packaging Height PL4	950
Packaging Length PL1	445
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL4	100
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00477485

Packaging Volume PL4	0,912
Packaging Weight PL1	3,358
Packaging Weight PL4	369
Packaging Width PL1	185
Packaging Width PL4	800

Technical documents

Download documents here

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E customerservice.uk.bfs@georgfischer.com

www.uponor.com/en-gb

+GF+