

Uponor S-Press tool UP110 without jaws

1083612

- supplied in carrying case, complete with battery and charger unit
- without pressing jaws.
- Range of application up to 110 mm.

- Technical specifications:
- Quick pressing due to short pressing cycle
- Crimping force: linear thrust of approx. 32 kN
- Battery capacity: High-power Makita 3.0 Ah Li-Ion battery
- Charging time: 22 min
- Weight incl. battery: without jaw 3.5 kg
- Dimensions tool: 366 x 81 x 317 mm
- Revolving/rotatable: approx. 350° rotating pressing jaw holder



About Uponor S-Press tool UP110 without jaws

Specification

- Manual and battery-powered pressing tools
- Interchangeable jaws and pressing chains
- Suitable for small to large pipe diameters
- Controlled pressing force and cycle time

Application

- Pressing of MLC press fittings
- Battery-powered or manual pressing on site
- Large-diameter pressing using chains and base units
- Pressure testing and commissioning support

Uponor S-Press tool UP110 without jaws

1083612



Product code

Item no EAN	4021598131835
Item no GF	35001083612
Item no GTIN	04021598131835
Item no LVI	1725908
Item no NOBB	48959714
Item no NRF	5071298
Item no RSK	1881877
Item no VVS	045498470

Dimensions

Item Unit Height	82
Item Unit Length	500
Item Unit Weight	4,4
Item Unit Width	255
Item_UOM	set

Packaging

Packaging GTIN PL1	06414905469772
Packaging GTIN PL4	06414900310260
Packaging Height PL1	140
Packaging Height PL4	1150
Packaging Length PL1	547
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL4	20
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0348439
Packaging Volume PL4	1,104

Packaging Weight PL1	4,5
Packaging Weight PL4	113
Packaging Width PL1	455
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb