

## Uponor S-Press tool Mini2 without jaws UK

**1083674**

- Uponor S-Press tool Mini<sup>2</sup> supplied in carrying case, complete with battery and charger unit.
- Pressing range of up to 32 mm.

Technical specifications:

- Very quick pressing thanks to short pressing cycle of 3-4 seconds
- Crimping force: linear thrust of approx. 15 kN
- Battery capacity: High-power Makita 1.5 Ah Li-Ion battery (3.0 Ah optional)
- Charging time: 1.5 Ah 15 min. 3.0 Ah 22 min
- Weight incl. battery: without jaws 1.7 kg
- Dimensions tool: 377 x 75 x 116 mm
- Revolving/rotatable: approx. 350° rotating pressing jaw holder



## About Uponor S-Press tool Mini2 without jaws UK

### Specification

- Manual and battery-powered pressing tools
- Interchangeable jaws and pressing chains
- Suitable for small to large pipe diameters
- Controlled pressing force and cycle time

### Application

- Pressing of MLC press fittings
- Battery-powered or manual pressing on site
- Large-diameter pressing using chains and base units
- Pressure testing and commissioning support

## Uponor S-Press tool Mini2 without jaws UK

1083674



### Product code

Item no EAN 4021598131842

Item no GTIN 04021598131842

### Dimensions

Item Unit Height 78

Item Unit Length 355

Item Unit Weight 2,6

Item Unit Width 325

Item\_UOM set

### Packaging

Packaging GTIN PL1 06414905469802

Packaging GTIN PL4 06414900310253

Packaging Height PL1 120

Packaging Height PL4 1000

Packaging Length PL1 485

Packaging Length PL4 1200

Packaging Quantity PL1 1

Packaging Quantity PL4 25

Packaging Type PL1 Base\_Box

Packaging Type PL4 Pallet

Packaging Volume PL1 0,02328

Packaging Volume PL4 0,96

Packaging Weight PL1 2,7

Packaging Weight PL4 90,65

Packaging Width PL1 400

Packaging Width PL4 800

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)