


Uponor Multi insulation panel XPS 400 10X600X1250mm

1084161

- Thermal insulation made of XPS 400
- With tongue and groove at sides for easy mounting
- Thermal conductivity: $\lambda = 0.035 \text{ W/mK}$
- Fire class E to BS EN 13501-1



About Uponor Multi insulation panel XPS 400

Specification


- UFH installation accessories and components for multiple systems

Application

- Radiant heating and cooling systems

Uponor Multi insulation panel XPS 400 10X600X1250mm

1084161



Product code

Item no EAN 4021598147447

Item no GTIN 04021598147447

Dimensions

Item Unit Height 10

Item Unit Length 600

Item Unit Weight 0,3

Item Unit Width 1250

Item_UOM m²

Packaging

Packaging GTIN PL1 06414905470082

Packaging GTIN PL4 06414905500772

Packaging Height PL1 400

Packaging Height PL4 2400

Packaging Length PL1 1250

Packaging Length PL4 1250

Packaging Quantity PL1 30

Packaging Quantity PL4 360

Packaging Type PL1 Base_Box

Packaging Type PL4 Pallet

Packaging Volume PL1 0,3

Packaging Volume PL4 3,6

Packaging Weight PL1 9,1

Packaging Weight PL4 110

Packaging Width PL1 600

Packaging Width PL4 1200

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb