


Uponor Ecoflex chamber 4x250-4x140/175/200

1084577

- Chamber for connecting the casing pipe
- PE body with insulation and reducer spigots
- T and X models available
- Traffic load of 500 kg, higher load possible with special concrete construction



About Uponor Ecoflex chamber

Specification

- All accessories are corrosion resistant.

Application


- Ecoflex accessories are designed for all below ground buried installations

Certification

-

Uponor Ecoflex chamber 4x250-4x140/175/200

1084577



Measurements

| | |
|-------------------|------|
| Inner_diameter_di | 760 |
| LENGTH_L | 1652 |
| Length (l1) | 1304 |
| Outer Diameter_do | 940 |
| Z Measurement b | 300 |
| Z Measurement h | 725 |
| Z Measurement h1 | 420 |
| Z Measurement h2 | 165 |

Status

Item Available Till date 2026-12-31T00:00:00.000+0100

Product code

| | |
|--------------|----------------|
| Item no EAN | 4021598132405 |
| Item no GF | 35001084577 |
| Item no GTIN | 04021598132405 |
| Item no LVI | 3010430 |
| Item no NOBB | 49605602 |
| Item no NRF | 8361322 |
| Item no RSK | 2282471 |
| Item no VVS | 087918011 |

Dimensions

| | |
|------------------|------|
| Item Unit Height | 725 |
| Item Unit Length | 1250 |
| Item Unit Weight | 53 |
| Item Unit Width | 1632 |
| Item_UOM | pce |

Packaging

Packaging GTIN PL4 06414905500949

| | |
|------------------------|--------|
| Packaging Height PL4 | 740 |
| Packaging Length PL4 | 1250 |
| Packaging Quantity PL4 | 1 |
| Packaging Type PL4 | Pallet |
| Packaging Volume PL4 | 1,5096 |
| Packaging Weight PL4 | 68 |
| Packaging Width PL4 | 1632 |

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E
customerservice.uk.bfs@georgfi
scher.com