


## Uponor Ecoflex chamber 4x250-4x140/175/200

**1084577**

- Chamber for connecting the casing pipe
- PE body with insulation and reducer spigots
- T and X models available
- Traffic load of 500 kg, higher load possible with special concrete construction



### About Uponor Ecoflex chamber

#### Specification

- All accessories are corrosion resistant.

#### Application


- Ecoflex accessories are designed for all below ground buried installations

#### Certification

-

## Uponor Ecoflex chamber 4x250-4x140/175/200

1084577



### Measurements

|                   |      |
|-------------------|------|
| Inner_diameter_di | 760  |
| LENGTH_L          | 1652 |
| Length (l1)       | 1304 |
| Outer Diameter_do | 940  |
| Z Measurement b   | 300  |
| Z Measurement h   | 725  |
| Z Measurement h1  | 420  |
| Z Measurement h2  | 165  |

### Status

Item Available Till date 2026-04-30T00:00:00.000+0200

### Product code

|              |                |
|--------------|----------------|
| Item no EAN  | 4021598132405  |
| Item no GF   | 35001084577    |
| Item no GTIN | 04021598132405 |
| Item no LVI  | 3010430        |
| Item no NOBB | 49605602       |
| Item no NRF  | 8361322        |
| Item no RSK  | 2282471        |
| Item no VVS  | 087918011      |

### Dimensions

|                  |      |
|------------------|------|
| Item Unit Height | 725  |
| Item Unit Length | 1250 |
| Item Unit Weight | 53   |
| Item Unit Width  | 1632 |
| Item_UOM         | pce  |

### Packaging

Packaging GTIN PL4 06414905500949

|                        |        |
|------------------------|--------|
| Packaging Height PL4   | 740    |
| Packaging Length PL4   | 1250   |
| Packaging Quantity PL4 | 1      |
| Packaging Type PL4     | Pallet |
| Packaging Volume PL4   | 1,5096 |
| Packaging Weight PL4   | 68     |
| Packaging Width PL4    | 1632   |

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)