


Uponor Ecoflex chamber 6x250-2x140/175/200

1084578

- Chamber for connecting the casing pipe
- PE body with insulation and reducer spigots
- T and X models available
- Traffic load of 500 kg, higher load possible with special concrete construction



About Uponor Ecoflex chamber

Specification

- All accessories are corrosion resistant.

Application


- Ecoflex accessories are designed for all below ground buried installations

Certification

-

Uponor Ecoflex chamber 6x250-2x140/175/200

1084578



Measurements

| | |
|-------------------|------|
| Inner_diameter_di | 760 |
| LENGTH_L | 1486 |
| Length (l1) | 1304 |
| Outer Diameter_do | 940 |
| Z Measurement b | 300 |
| Z Measurement h | 725 |
| Z Measurement h1 | 420 |
| Z Measurement h2 | 165 |

Status

Item Available Till date 2026-04-30T00:00:00.000+0200

Product code

| | |
|--------------|----------------|
| Item no EAN | 4021598132412 |
| Item no GF | 35001084578 |
| Item no GTIN | 04021598132412 |
| Item no LVI | 3010431 |
| Item no NOBB | 49605617 |
| Item no NRF | 8361323 |
| Item no RSK | 2282472 |
| Item no VVS | 087918012 |

Dimensions

| | |
|------------------|------|
| Item Unit Height | 725 |
| Item Unit Length | 1250 |
| Item Unit Weight | 53 |
| Item Unit Width | 1441 |
| Item_UOM | pce |

Packaging

Packaging GTIN PL4 06414905500956

| | |
|------------------------|----------|
| Packaging Height PL4 | 740 |
| Packaging Length PL4 | 1250 |
| Packaging Quantity PL4 | 1 |
| Packaging Type PL4 | Pallet |
| Packaging Volume PL4 | 1,332925 |
| Packaging Weight PL4 | 68 |
| Packaging Width PL4 | 1441 |

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb