Product data sheet



GF Uponor Q&E expansion head VLD 40x3,7/5,5

1085095

- for Q&E expansion tool



About GF Uponor Q&E expansion head VLD

Specification

Spezifikation:
- Q&E Fittings und Sicherungsringe für Uponor PE-Xa Rohre
- Metallfittings aus korrosionsbeständigem Messing
- Kunststofffittings aus PPSU (Polyphenylsulfon)
- Q&E Sicherungsringe müssen separat bestellt werden
- Außen- und Innengewinde nach DIN EN 10226-1

Anwendung:
- Fittingsystem für den Einsatzbereich von Heizungs- und Trinkwasser
- Max. Temperatur- und Druckbelastung: 95 °C / 6 bar / 10 bar

Application

if not different mentioned:
- Male and female threads acc.to EN 10226-1.

GF Uponor Q&E expansion head VLD 40x3,7/5,5

1085095



Product code

Item no EAN	4002395160884
Item no GF	35001085095
Item no GTIN	04002395160884
Item no LVI	2073005
Item no NRF	9849457
Item no VVS	045339940

Dimensions

Item Unit Height	190
Item Unit Length	190
Item Unit Weight	3,2
Item Unit Width	190
Item_UOM	pce

Status

MTO (longer delivery times)	Item available on request, minimum lead time 2 weeks

Packaging

Packaging GTIN PL1	06414905470570
Packaging Height PL1	190
Packaging Length PL1	190
Packaging Quantity PL1	1
Packaging Type PL1	Base_Box
Packaging Volume PL1	0,006859
Packaging Weight PL1	3,232
Packaging Width PL1	190

Measurements

Wall thickness_s	3,7/5,5

Technical documents

Download documents here

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E customerservice.uk.bfs@georgfischer.com

www.uponor.com/en-gb

+GF+