
Product data sheet



GF Uponor Ecoflex reducer ring 200/160

1085107

- Match different pipe casing dimensions in an insulation set



About GF Uponor Ecoflex reducer ring

Specification

- All accessories are corrosion resistant.

Application


- Ecoflex accessories are designed for all below ground buried installations

Certification

-

GF Uponor Ecoflex reducer ring 200/160

1085107



Measurements

Inner_diameter_di	165
LENGTH_L	70
Outer Diameter_do	229

Product code

Item no EAN	6414905208678
Item no GF	35001085107
Item no GTIN	06414905208678
Item no VVS	087279223

Dimensions

Item Unit Height	229
Item Unit Length	70
Item Unit Weight	0,05
Item Unit Width	229
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905470679
Packaging GTIN PL3	06414905453993
Packaging Height PL1	150
Packaging Height PL3	305
Packaging Length PL1	230
Packaging Length PL3	590
Packaging Quantity PL1	1
Packaging Quantity PL3	12
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box

Packaging Volume PL1	0,00414
Packaging Volume PL3	0,0701805
Packaging Weight PL1	0,055
Packaging Weight PL3	1,21
Packaging Width PL1	120
Packaging Width PL3	390

Technical documents

Download documents here

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E customerservice.uk.bfs@georgfischer.com

www.uponor.com/en-gb

+GF+