


## Uponor FPL-X adapter, plated PL 12x1,1-G1/2"FT

1085247

- FPL-X
- Positive listed brass
- Plated nuts for visible installations
- For radiator connections |



### About Uponor FPL-X adapter, plated PL

#### Specification


- Compression fittings for Uponor PE-Xa pipes
- Made of dezincification-resistant (DR) brass
- Available with BSP, metric and eurocone-compatible connections
- Variants for WGF, Vario B and other manifold types
- Plated versions available for visible on-wall installations

#### Application

- Connection of Uponor PE-Xa pipes to manifolds and radiator valves
- Use in hot and cold water distribution systems
- Radiator connections with visible or concealed installations
- Adaptation of PE-Xa pipes to BSP and metric threaded interface

## Uponor FPL-X adapter, plated PL 12x1,1-G1/2"FT

1085247



### Measurements

Cylindric_thread_G	1/2
LENGTH_L	25
Length (l1)	14
z1	2,3

### Product code

Item no EAN	7321500057480
Item no GTIN	07321500057480

### Dimensions

Item Unit Height	24
Item Unit Length	25
Item Unit Weight	0,059
Item Unit Width	24
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414905470716
Packaging GTIN PL3	06414905454006
Packaging GTIN PL4	06414905501625
Packaging Height PL1	25
Packaging Height PL3	145
Packaging Height PL4	460
Packaging Length PL1	101
Packaging Length PL3	245
Packaging Length PL4	1200
Packaging Quantity PL1	5
Packaging Quantity PL3	50
Packaging Quantity PL4	4800
Packaging Type PL1	Plastic_Bag

Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000123725
Packaging Volume PL3	0,005151125
Packaging Volume PL4	0,4416
Packaging Weight PL1	0,296
Packaging Weight PL3	3,06
Packaging Weight PL4	612,52
Packaging Width PL1	49
Packaging Width PL3	145
Packaging Width PL4	800

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)