Product data sheet



GF Uponor Smatrix Move PRO humidity sensor S-157

1087160

- Room sensor + RH
- Measures relative humidity for dew point calculations
- For cooling only and heating and cooling zones
- 3-wire connection to Uponor Smatrix Move PRO controller X-159
- Humidity range: 0-100% non-condensing
- Accuracy: < 2% RH
- Operating voltage: 24V / 50-60 Hz
- Operating temperature: -10°C - +50°C
- Protection class: IP20



No about information

GF Uponor Smatrix Move PRO humidity sensor S-157

1087160



Status

Item Available Till date	2027-12-31T00:00:00.000+0100

Product code

Item no EAN	4021598149366
Item no GTIN	04021598149366
Item no LVI	2024557
Item no NRF	8361101
Item no RSK	2987824
Item no VVS	466257050

Dimensions

Item Unit Height	25
Item Unit Length	80
Item Unit Weight	0,1
Item Unit Width	80
Item_UOM	pce

Measurements

LENGTH_L	80
Z Measurement h	25
Z Measurement w	80

Packaging

Packaging GTIN PL1	06414905440580
Packaging GTIN PL3	06414905630165
Packaging GTIN PL4	06414905630424
Packaging Height PL1	40
Packaging Height PL3	300
Packaging Height PL4	1500

Packaging Length PL1	100
Packaging Length PL3	400
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL3	75
Packaging Quantity PL4	1800
Packaging Type PL1	Base_Box
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00036
Packaging Volume PL3	0,036
Packaging Volume PL4	1,44
Packaging Weight PL1	0,111
Packaging Weight PL3	10,27
Packaging Weight PL4	271,48
Packaging Width PL1	90
Packaging Width PL3	300
Packaging Width PL4	800

Technical documents

Download documents here

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E customerservice.uk.bfs@georgfischer.com

www.uponor.com/en-gb

+GF+