


Uponor Klett panel Silent 1200x1000x30mm

1088065

- thermal insulation panel, consists of Klett-foil for hook- and loop fixation laminated onto mineral wool according to EN 13162
- BS EN 13501-1 fire classification: class E.
- foil on the panel is printed with 100x100mm grid pattern
- single panel
- with tested and certified step-sound reduction
- self-adhesive strip at long side
- DIN CERTCO: 7F468-F



About Uponor Klett panel Silent

Specification

- Klett underfloor heating panel system, consists of Klett-foil for hook- and loop fixation laminated onto EPS according to EN 13163 and DIN 4108-10.
- based on hook- and loop fixation of Klett-pipes to insulation panels
- EN 13501-1 fire classification: class E
- standard flammability, building-material class B2, conforming to DIN 4102
- with self-adhesive tape at long side
- foil on the panel is printed with 100x100mm grid pattern

Application


- radiant underfloor heating and cooling
- for use with cement- and anhydrite-based screeds

Certification

- DIN CERTCO: 3V372 PE-Xa; 7F235-F; 7F236-F; 7F342-F

Uponor Klett panel Silent 1200x1000x30mm

1088065



Product code

Item no EAN	6414905236381
Item no GF	35001088065
Item no GTIN	06414905236381

Dimensions

Item Unit Height	30
Item Unit Length	1000
Item Unit Weight	3,5
Item Unit Width	1000
Item_UOM	m ²

Measurements

LENGTH_L	1200
Wall thickness_s	30
Z Measurement b	1000

Packaging

Packaging GTIN PL1	06414905233199
Packaging GTIN PL4	06414905274093
Packaging Height PL1	120
Packaging Height PL4	1200
Packaging Length PL1	1200
Packaging Length PL4	1210
Packaging Quantity PL1	4.8
Packaging Quantity PL4	48

Packaging Type PL1	Plastic_Bag
Packaging Type PL4	Pallet
Packaging Volume PL1	0,144
Packaging Volume PL4	1,46652
Packaging Weight PL1	16,8
Packaging Weight PL4	193
Packaging Width PL1	1000
Packaging Width PL4	1010

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb