

## Uponor Ecoflex fibre cement pipe PWP 250

**1091431**

- Embed in a brick wall or concrete wall
- Alternative to water-proof concrete core hole
- Applicable for Uponor wall seal PWP (pressurized water)
- "Dimension" - refers to pipe jacket diameter



### About Uponor Ecoflex fibre cement pipe PWP

#### Specification

- All accessories are corrosion resistant.

#### Application

- Ecoflex accessories are designed for all below ground buried installations

#### Certification

-

## Uponor Ecoflex fibre cement pipe PWP 250

1091431

**Measurements**

Inner_diameter_di	350
LENGTH_L	400
Outer Diameter_do	400

**Product code**

Item no EAN	6414905222711
Item no GF	35001091431
Item no GTIN	06414905222711
Item no VVS	087913825

**Dimensions**

Item Unit Height	400
Item Unit Length	400
Item Unit Weight	25,35
Item Unit Width	400
Item_UOM	pce

**Technical data**

Recycling Text Block PL1	Wood
--------------------------	------

**Packaging**

Packaging GTIN PL1	06414905269457
Packaging Height PL1	400
Packaging Length PL1	400
Packaging Material (number) PL1	50
Packaging Material PL1	Wood
Packaging Material (short) PL1	FOR
Packaging Quantity PL1	1
Packaging Type PL1	Piece
Packaging Volume PL1	0,064
Packaging Weight PL1	25,35

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)