

Uponor Ecoflex fibre cement pipe PWP 250

1091431

- Embed in a brick wall or concrete wall
- Alternative to water-proof concrete core hole
- Applicable for Uponor wall seal PWP (pressurized water)
- "Dimension" - refers to pipe jacket diameter



About Uponor Ecoflex fibre cement pipe PWP

Specification

- All accessories are corrosion resistant.

Application

- Ecoflex accessories are designed for all below ground buried installations

Certification

-

Uponor Ecoflex fibre cement pipe PWP 250

1091431



Measurements

Inner_diameter_di	350
LENGTH_L	400
Outer Diameter_do	400

Product code

Item no EAN	6414905222711
Item no GF	35001091431
Item no GTIN	06414905222711
Item no VVS	087913825

Dimensions

Item Unit Height	400
Item Unit Length	400
Item Unit Weight	25,35
Item Unit Width	400
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905269457
Packaging Height PL1	400
Packaging Length PL1	400
Packaging Material (number) PL1	50
Packaging Material PL1	Wood
Packaging Material (short) PL1	FOR
Packaging Quantity PL1	1
Packaging Type PL1	Piece
Packaging Volume PL1	0,064
Packaging Weight PL1	25,35
Packaging Width PL1	400

Technical data

Recycling Text Block PL1

Wood

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212

E
customerservice.uk.bfs@georgfi
scher.com