


Uponor Smatrix Wave controller Pulse X-265 6X UK

1093022

- Compatible to Uponor Smatrix Wave controller Pulse X-265 6X
- Protection class: Class II IP20
- Colour: white

Consisting of:

- Uponor Smatrix Wave controller Pulse X-265 6X
- Uponor Smatrix Wave antenna Pulse A-265
- First step instructions, safety instructions
- Mounting set



About Uponor Smatrix Wave controller Pulse X-265 6X

Specification

- Up to 4 controllers in one system
- Operating voltage: 230V
- Autobalancing optimises energy use and comfort
- Electric control
- Supports up to 6 room thermostats and 8 actuators (24V) per controller
- Pump and boiler relays
- Valve and pump exercise
- Relative humidity control
- Combines underfloor heating/cooling and ceiling cooling control
- Max. power input per actuator: 24VAC / 0.2A (0.4A peak)

Smatrix Wave Pulse:

- Local access (Wi-Fi) or remote access (internet connection required) via Uponor Smatrix Pulse App (with R-208)
- Temporary wi-fi access point for direct access (if local wi-fi is not available) - (with R-208)
- Smart home ecosystem integration (Amazon Alexa, Google Home) - (with R-208)
- Multi-home control (with R-208)
- Third-party access for remote support (user allowance required) - (with R-208)
- History trend analysis via Uponor Smatrix Pulse app (with R-208)
- Timer programming (with R-208)
- Comfort settings (with R-208)
- Supply diagnostics (with R-208)

Application


- Wireless room temperature control for radiant heating and cooling
- Set point range: +5°C - +35°C

Certification

- CE / EAC

Uponor Smatrix Wave controller Pulse X-265 6X UK

1093022



Product code

Item no EAN 6414905228065

Item no GTIN 06414905228065

Dimensions

Item Unit Height 50

Item Unit Length 370

Item Unit Weight 1,5620

Item Unit Width 110

Item_UOM pce

Measurements

LENGTH_L 370

Z Measurement h 50

Z Measurement w 110

Packaging

Packaging GTIN PL1 06414905441549

Packaging GTIN PL2 06414905443307

Packaging GTIN PL4 06414905503919

Packaging Height PL1 80

Packaging Height PL2 300

Packaging Height PL4 1044

Packaging Length PL1 370

Packaging Length PL2 400

Packaging Length PL4 1200

Packaging Quantity PL1 1

Packaging Quantity PL2 4

Packaging Quantity PL4 96

Packaging Type PL1 Base_Box

Packaging Type PL2 Medium_Box

Packaging Type PL4	Pallet
Packaging Volume PL1	0,004588
Packaging Volume PL2	0,036
Packaging Volume PL4	1,00224
Packaging Weight PL1	1,8700
Packaging Weight PL2	8,1600
Packaging Weight PL4	220,8400
Packaging Width PL1	155
Packaging Width PL2	300
Packaging Width PL4	800

Technical documents

[Download documents here](#)

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb