Product data sheet




GF Uponor Smatrix Pulse com R-208

1093030

- Establishes connection between Uponor Smatrix Pulse system, Uponor Smatrix Pulse app and the Uponor cloud

- Compatible with:
- Uponor Smatrix Base controller Pulse X-245 Bus 6X
- Uponor Smatrix Wave controller Pulse X-265 6X
- Power supply: RJ45 cable to Uponor Wave or Base controller Pulse
- Ethernet interface: 10/100 Mbps (RJ45)
- Ethernet protocols: Ethernet II
- Protection class: Class II IP20
- Colour: white

- Consisting of:
- Uponor Smatrix Pulse com R-208
- Adaptor for DIN rail installations
- RJ45 connection cable (2m)
- First step instructions, safety instructions
- Mounting material



About GF Uponor Smatrix Pulse com R-208

Specification

- Pulse com module R-208 is compatible with Base controller Pulse X-245 and Wave controller Pulse X-265
- functions of the Smatrix Pulse system with Pulse com module R-208 are , e.g. up to 4 controllers in one system, relative humidity control, ceiling cooling control, app for mobile devices with installation wizard and intuitive user interface, on-site access for commissioning and service, remote access via app for internet connected systems *, Smatrix AI for energy savings in installations with heat pumps * , timer programming with app *, comfort settings, automatic software updates * (* function requires internet connected system)


- Relay module H/C (variants 230 VAC / 24 VDC) is compatible with Smatrix Pulse and Smatrix Base Pro.

Application

- Room temperature control for radiant heating and cooling
- App for mobile devices and cloud connectivity for
Smatrix Pulse systems. Enables multi-controller
installations, comfort settings, Smatrix AI,
and many more
- Device interface to the heating/cooling source f
or changeover control

GF Uponor Smatrix Pulse com R-208

1093030



Product code

Item no EAN	6414905228140
Item no GF	35001093030
Item no GTIN	06414905228140
Item no LVI	2024566
Item no NRF	8361142
Item no RSK	2988498
Item no VVS	466252301

Dimensions

Item Unit Height	20
Item Unit Length	110
Item Unit Weight	0,122
Item Unit Width	110
Item_UOM	pce

Measurements

LENGTH_L	110
Z Measurement h	20
Z Measurement w	110

Packaging

Packaging GTIN PL1	06414905441617
Packaging GTIN PL2	06414905443376
Packaging GTIN PL4	06414905503957
Packaging Height PL1	70
Packaging Height PL2	300
Packaging Height PL4	1044
Packaging Length PL1	190

Packaging Length PL2	400
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	16
Packaging Quantity PL4	384
Packaging Type PL1	Base_Box
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0016625
Packaging Volume PL2	0,036
Packaging Volume PL4	1,00224
Packaging Weight PL1	0,3200
Packaging Weight PL2	6,0800
Packaging Weight PL4	170,9200
Packaging Width PL1	125
Packaging Width PL2	300
Packaging Width PL4	800

Technical documents

Download documents here

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E customerservice.uk.bfs@georgfischer.com

www.uponor.com/en-gb

+GF+