


## Uponor Ecoflex shrink tape 160mm x 10m

1093120

- Shrinkable tape use for sealing damaged outer pipe casings



### About Uponor Ecoflex shrink tape

#### Specification

- All accessories are corrosion resistant.

#### Application


- Ecoflex accessories are designed for all below ground buried installations

#### Certification

-

## Uponor Ecoflex shrink tape 160mm x 10m

1093120



### Product code

Item no EAN	6414905228607
Item no GF	35001093120
Item no GTIN	06414905228607
Item no LVI	3010159
Item no NRF	8360939
Item no RSK	2282726
Item no VVS	087855910

### Dimensions

Item Unit Height	150
Item Unit Length	160
Item Unit Weight	2,4
Item Unit Width	150
Item_UOM	pce

### Measurements

Length	10
--------	----

### Status

MTO (longer delivery times)	Item available on request, minimum lead time 2 weeks
-----------------------------	--

### Packaging

Packaging GTIN PL1	06414905552177
Packaging GTIN PL4	06414905543694
Packaging Height PL1	180
Packaging Height PL4	800
Packaging Length PL1	330
Packaging Length PL4	1200
Packaging Material (number) PL1	4
Packaging Material PL1	Low density polyethylene
Packaging Material (short) PL1	LDPE

Packaging Quantity PL1	1
Packaging Quantity PL4	30
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,013662
Packaging Volume PL4	0,768
Packaging Weight PL1	2,65
Packaging Weight PL4	90
Packaging Width PL1	230
Packaging Width PL4	800

## Technical data

Recycling Text Block PL1	Low density polyethylene
--------------------------	--------------------------

## Technical documents

[Download documents here](#)

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)