


Uponor Smatrix Base slave module Pulse M-242 BUS 6X

1093134

- 6 channel slave module for Uponor Smatrix Base controller Pulse X-245 Bus 6X
- Supports up to 6 room thermostats and 6 actuators
- Click-in installation
- Protection class: IP20
- Colour: white



About Uponor Smatrix Base slave module Pulse M-242 BUS 6X

Specification

- Up to 4 controllers in one system
- Operating voltage: 230V
- Autobalancing optimises energy user and comfort
- Supports up to 6 room thermostats and 8 24V actuators per controller
- Pump and boiler relays
- Valve and pump exercise
- Relative humidity control
- Different wiring options (daisy-chain / star)
- 4-wire Bus installation
- Communication protocol: RS485 serial bus
- Max. power input per actuator: 24VAC / 0.2A (0.4A peak)

Smatrix Base Pulse:

- Local access (Wi-Fi) or remote access (internet connection required) via Uponor Smatrix Pulse App (with R-208)
- Temporary wi-fi access point for direct access (if local wi-fi is not available) - (with R-208)
- Smart home ecosystem integration (Amazon Alexa, Google Home) - (with R-208)
- Multi-home control - (with R-208)
- Third-party access for remote support (user allowance required) - (with R-208)
- History trend analysis via Uponor Smatrix Pulse app (with R-208)
- Timer programming (with R-208)
- Comfort settings (with R-208)
- Supply diagnostics (with R-208)

Application


- Wired room temperature control for radiant heating and cooling
- Set point range: +5°C - +35°C

Certification

- CE / EAC

Uponor Smatrix Base slave module Pulse M-242 BUS 6X

1093134



Product code

Item no EAN	6414905228652
Item no GF	35001093134
Item no GTIN	06414905228652
Item no LVI	2024564
Item no NRF	8361144
Item no RSK	2988492
Item no VVS	466253320

Dimensions

Item Unit Height	50
Item Unit Length	140
Item Unit Weight	0,3000
Item Unit Width	110
Item_UOM	pce

Measurements

LENGTH_L	140
Z Measurement h	50
Z Measurement w	110

Packaging

Packaging GTIN PL1	06414905441655
Packaging GTIN PL2	06414905443413
Packaging GTIN PL4	06414905503995
Packaging Height PL1	70
Packaging Height PL2	300
Packaging Height PL4	1044
Packaging Length PL1	190
Packaging Length PL2	400
Packaging Length PL4	1200

Packaging Quantity PL1	1
Packaging Quantity PL2	16
Packaging Quantity PL4	384
Packaging Type PL1	Base_Box
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0016625
Packaging Volume PL2	0,036
Packaging Volume PL4	1,00224
Packaging Weight PL1	0,3600
Packaging Weight PL2	7,4400
Packaging Weight PL4	203,5600
Packaging Width PL1	125
Packaging Width PL2	300
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb