


## Uponor Vario cabinet IW 850x730x110mm

**1093475**

- Complete cabinet with frame and door for in-wall installation
- Depth: 110mm, extendable to 150mm
- Height adjustable: 730 - 930mm
- Floor construction height: max. 200mm
- Material: galvanized steel
- White powder coated frame and door (RAL 9016)
- Lockable door



### About Uponor Vario cabinet IW

#### Specification


- Cabinets made of galvanized steel with white powder coating
- Available for in-wall (IW) and on-wall (OW) installation
- Adjustable height, depth, and width for on-site flexibility
- Lockable doors; doors and frames available separately
- Designed for integration of manifolds, controls, and accessories

#### Application

- Housing of Vario manifolds for UFH systems
- Residential and commercial buildings
- In-wall and on-wall installations
- Integration of pump groups, control units, and valves
- New installations and renovation projects

## Uponor Vario cabinet IW 850x730x110mm

1093475



### Product code

Item no EAN	6414905229710
Item no GF	35001093475
Item no GTIN	06414905229710
Item no VVS	046231308

### Dimensions

Item Unit Height	758
Item Unit Length	905
Item Unit Weight	12,23
Item Unit Width	124
Item_UOM	pce

### Measurements

LENGTH_L	905
Length (l1)	850
Length (l2)	838,6
Z Measurement b	650
Z Measurement b1	572,2
Z Measurement b2	107,5
Z Measurement h1	110
Z Measurement h2	150
Z Measurement w	930
Z Measurement w1	730

### Packaging

Packaging GTIN PL1	06414905282678
Packaging GTIN PL4	06414905664948
Packaging Height PL1	790
Packaging Height PL4	1790
Packaging Length PL1	145

Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL4	13
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,1065315
Packaging Volume PL4	1,7184
Packaging Weight PL1	14,32
Packaging Weight PL4	206
Packaging Width PL1	930
Packaging Width PL4	800

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavillion  
WD18 8GA, Watford  
UK

T +44 (0)1923 381212  
E  
customerservice.uk.bfs@georgfi  
scher.com