


Uponor Fluvia T pumpgroup MPG-UK 15kW

1094185

- Integrated pump: Q: 0,1 - 0,4 m³/h, H: 0,2 - 1,1 m, Phyd< 1W
- Bracket for left or right installation
- Air bleed screw
- Secondary circuit temp. range 20-50°C
- Balancing valve
- Secondary loop 3/4" Eurocone
- Primary valves with clamp connection for CU-Pipe 15mm
- For control of UFH in small zones
- Max. primary temperature: 90°C
- Max. secondary temperature: 55°C
- Maximal heat load: 15 kW
- kvs flow valve: 3,2 m³/h
- Water temperature and flow rates controlled by thermostatic 4 way valve



About Uponor Fluvia T pumpgroup MPG-UK

Specification


- Integrated pump: Q: 0,1 - 0,4 m³/h, H: 0,2 - 1,1 m, Phyd< 1W
- Bracket for left or right installation
- Air bleed screw
- Secondary circuit temp. range 20-50°C
- Balancing valve
- Secondary loop 3/4" Eurocone
- Primary valves with clamp connection for CU-Pipe 15mm

Application

- For control of UFH in small zones
- Max. primary temperature: 90°C
- Max. secondary temperature: 55°C

Uponor Fluvia T pumpgroup MPG-UK 15kW

1094185



Measurements

Cylindric_thread_G	3/4
Cylindric_thread_G1	1
LENGTH_L	197
Length (l1)	93
Length (l2)	103
Length (l3)	45
Z Measurement b1	76
Z Measurement b2	215
Z Measurement h	129
Z Measurement h1	50
Z Measurement h2	30

Product code

Item no EAN	6414905232215
Item no GTIN	06414905232215
Item no VVS	381111366

Dimensions

Item Unit Height	90
Item Unit Length	285
Item Unit Weight	4,4
Item Unit Width	140
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905429219
Packaging GTIN PL4	06414905429226
Packaging Height PL1	130
Packaging Height PL4	850
Packaging Length PL1	335

Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL4	70
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00762125
Packaging Volume PL4	0,816
Packaging Weight PL1	4,45
Packaging Weight PL4	336,5
Packaging Width PL1	175
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb