


Uponor Fluvia T pumpgroup Push-12 TH-G

1095127

- Integrated pump: Q: 0,1 - 0,4 m³/h, H: 0,2 - 1,1 m, Phyd< 1W
- Bracket for left or right installation
- Air bleed screw
- Secondary circuit temp. range 20-50°C
- Balancing valve
- Secondary loop 3/4" Eurocone
- Primary valves with clamp connection for CU-Pipe 15mm
- For control of UFH in small zones
- Max. primary temperature: 90°C
- Max. secondary temperature: 55°C
- Pumpgroup with thermostat 12-28°C
- Secondary max. temperature limiter 50°C
- Room sensor head with capillary sensor



About Uponor Fluvia T pumpgroup Push-12 TH-G

Specification


- Integrated pump: Q: 0,1 - 0,4 m³/h, H: 0,2 - 1,1 m, Phyd< 1W
- Bracket for left or right installation
- Air bleed screw
- Secondary circuit temp. range 20-50°C
- Balancing valve
- Secondary loop 3/4" Eurocone
- Primary valves with clamp connection for CU-Pipe 15mm

Application

- For control of UFH in small zones
- Max. primary temperature: 90°C
- Max. secondary temperature: 55°C

Uponor Fluvia T pumpgroup Push-12 TH-G

1095127



Measurements

Cylindric_thread_G	CU15
Cylindric_thread_G1	3/4
LENGTH_L	332
Length (l1)	38
Length (l2)	129
Z Measurement b	40
Z Measurement b1	65
Z Measurement b2	65
Z Measurement h	84
Z Measurement h1	42
Z Measurement w	240

Product code

Item no EAN	6414905428205
Item no GF	35001095127
Item no GTIN	06414905428205
Item no LVI	2025000
Item no NRF	8361162
Item no RSK	2988788
Item no VVS	381121043

Dimensions

Item Unit Height	240
Item Unit Length	331.5
Item Unit Weight	2,53
Item Unit Width	84
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905476657
--------------------	----------------

Packaging GTIN PL4	06414905476664
Packaging Height PL1	105
Packaging Height PL4	700
Packaging Length PL1	320
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL4	60
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,007896
Packaging Volume PL4	0,672
Packaging Weight PL1	2,55
Packaging Weight PL4	172
Packaging Width PL1	235
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb