


## Uponor Ecoflex Supra PLUS Pipe cable 32x2,9/68 1x10W/m

**1095731**

- Cold potable water with self regulating frost protection cable
- One medium pipe PE100 RC black, SDR 11
- Max. load 16bar / 20°C
- PEX foam, HDPE casing, sensor tube
- Power output of cable 10W/m at 5°C



### About Uponor Ecoflex Supra PLUS Pipe cable

#### Specification

- Flexible, pre-insulated, self-compensating plastic pipe system
- Medium pipe: Polyethylene PE80, PN 12,5 (SDR 11) or PE100, PN 16 (SDR 11) black with blue stripes or PE 100, PN 16 (SDR 11) black with blue layer and new in PE100 RC, PN16 (SDR11) black with blue stripes
- Cable: self-regulating frost protection cable, nominal power output 10W/m at 5°C, electricity feed from one supply point, max.150 m
- Conduit pipe: PE tube to insert a sensor and to measure the temperature
- Insulating material: closed-cell PE-X foam, permanently elastic, ageing-resistant
- Casing pipe: Corrugated polyethylene (HDPE)

#### Application


- Transport of cold potable water or pressure drainage in situations where there is a risk of freezing
- For buried installations.
- Operating temperature +20°C
- Static verification for heavy traffic load of 60 tons

#### Certification

- UK Reg4 approval
  - WRAS or
  - KIWA
- To meet the requirements of the Water Supply (Water Fittings) Regulations 1999

## Uponor Ecoflex Supra PLUS Pipe cable 32x2,9/68 1x10W/m

1095731



### Measurements

Bending radius M	0,4
Outer Diameter_do	68
Outer Diameter_do1	32
Wall thickness_s1	2,9

### Product code

Item no EAN	6414905486472
Item no GF	35001095731
Item no GTIN	06414905486472
Item no LVI	1844134
Item no NRF	8360928
Item no RSK	2407817
Item no VVS	070698632

### Dimensions

Item Unit Height	68
Item Unit Length	1000
Item Unit Weight	0,67
Item Unit Width	68
Item_UOM	m

### Packaging

Packaging GTIN PL1	06414905537495
Packaging Height PL1	1600
Packaging Length PL1	1600
Packaging Quantity PL1	150
Packaging Type PL1	Coil
Packaging Volume PL1	1,792
Packaging Weight PL1	100,5
Packaging Width PL1	700

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavillion  
WD18 8GA, Watford  
UK

T +44 (0)1923 381212

E  
customerservice.uk.bfs@georgfi  
scher.com