


Uponor Ecoflex Supra PLUS Pipe cable 50x4,6/140 1x10W/m

1095736

- Cold potable water with self regulating frost protection cable
- One medium pipe PE100 RC black, SDR 11
- Max. load 16bar / 20°C
- PEX foam, HDPE casing, sensor tube
- Power output of cable 10W/m at 5°C



About Uponor Ecoflex Supra PLUS Pipe cable

Specification

- Flexible, pre-insulated, self-compensating plastic pipe system
- Medium pipe: Polyethylene PE80, PN 12,5 (SDR 11) or PE100, PN 16 (SDR 11) black with blue stripes or PE 100, PN 16 (SDR 11) black with blue layer and new in PE100 RC, PN16 (SDR11) black with blue stripes
- Cable: self-regulating frost protection cable, nominal power output 10W/m at 5°C, electricity feed from one supply point, max.150 m
- Conduit pipe: PE tube to insert a sensor and to measure the temperature
- Insulating material: closed-cell PE-X foam, permanently elastic, ageing-resistant
- Casing pipe: Corrugated polyethylene (HDPE)

Application

- Transport of cold potable water or pressure drainage in situations where there is a risk of freezing
- For buried installations.
- Operating temperature +20°C
- Static verification for heavy traffic load of 60 tons

Certification


UK Reg4 approval

- WRAS or
- KIWA

To meet the requirements of the Water Supply (Water Fittings) Regulations 1999

Uponor Ecoflex Supra PLUS Pipe cable 50x4,6/140 1x10W/m

1095736



Measurements

Bending radius M	0,6
Outer Diameter_do	140
Outer Diameter_do1	50
Wall thickness_s1	4,6

Product code

Item no EAN	6414905486496
Item no GF	35001095736
Item no GTIN	06414905486496
Item no LVI	1844138
Item no NRF	8360933
Item no RSK	2407821
Item no VVS	070694350

Dimensions

Item Unit Height	140
Item Unit Length	1000
Item Unit Weight	1,7
Item Unit Width	140
Item_UOM	m

Packaging

Packaging GTIN PL1	06414905537549
Packaging Height PL1	2250
Packaging Length PL1	2250
Packaging Quantity PL1	150
Packaging Type PL1	Coil
Packaging Volume PL1	7,0875
Packaging Weight PL1	255
Packaging Width PL1	1400

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212

E
customerservice.uk.bfs@georgfi
scher.com