


Uponor Ecoflex Supra PLUS cable 110x10,0/200 1x10W/m

1095740

- Cold potable water with self regulating frost protection cable
- One medium pipe PE100 RC black, SDR 11
- Max. load 16bar / 20°C
- PEX foam, HDPE casing, sensor tube
- Power output of cable 10W/m at 5°C



About Uponor Ecoflex Supra PLUS cable

Specification

- Flexible, pre-insulated, self-compensating plastic pipe system
- Medium pipe: Polyethylene PE80, PN 12,5 (SDR 11) or PE100, PN 16 (SDR 11) black with blue stripes or PE 100, PN 16 (SDR 11) black with blue layer and new in PE100 RC, PN16 (SDR11) black with blue stripes
- Cable: self-regulating frost protection cable, nominal power output 10W/m at 5°C, electricity feed from one supply point, max.150 m
- Conduit pipe: PE tube to insert a sensor and to measure the temperature
- Insulating material: closed-cell PE-X foam, permanently elastic, ageing-resistant
- Casing pipe: Corrugated polyethylene (HDPE)

Application

- Transport of cold potable water or pressure drainage in situations where there is a risk of freezing
- For buried installations.
- Operating temperature +20°C
- Static verification for heavy traffic load of 60 tons

Certification


UK Reg4 approval

- WRAS or
- KIWA

To meet the requirements of the Water Supply (Water Fittings) Regulations 1999

Uponor Ecoflex Supra PLUS cable 110x10,0/200 1x10W/m

1095740



Measurements

Bending radius M	1,2
Outer Diameter_do	200
Outer Diameter_do1	110
Wall thickness_s1	10

Product code

Item no EAN	6414905486533
Item no GF	35001095740
Item no GTIN	06414905486533
Item no LVI	1844142
Item no NRF	8360937
Item no RSK	2407825
Item no VVS	070694610

Dimensions

Item Unit Height	200
Item Unit Length	1000
Item Unit Weight	5,3
Item Unit Width	200
Item_UOM	m

Packaging

Packaging GTIN PL1	06414905537587
Packaging Height PL1	2400
Packaging Length PL1	2400
Packaging Quantity PL1	100
Packaging Type PL1	Coil
Packaging Volume PL1	8,64
Packaging Weight PL1	530
Packaging Width PL1	1500

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb