


## Uponor Ecoflex Thermo connection set Twin HP 2x40x3,7-2x32x3,5/175 L=8m

**1105780**

- Point-to-point heat-pump connection pipe, heating and cooling
- Set includes
  - Ecoflex Thermo Twin HP heating pipe
  - 6 bar at 80°C
  - 2 Quattro rubber end caps
  - 4 Wipex Couplings
  - 30m of Trench warning tape
  - Order on full pallet



### About Uponor Ecoflex Thermo connection set Twin HP

#### Specification

- Heating and Cooling
- PE-Xa carrier pipe with oxygen barrier, SDR 11
- Max. load 6 bar / 80°C
- PEX foam, HDPE casing

#### Application

- Buried services for the transport of heating or cooling water.
- Heating operating temperature 80°C based on BS EN 15632


#### Certification

-

## Uponor Ecoflex Thermo connection set Twin HP 2x40x3,7-2x32x3,5/175

L=8m

1105780



### Product code

Item no EAN	6414905528783
Item no GTIN	06414905528783
Item no VVS	087808833

### Dimensions

Item Unit Height	1650
Item Unit Length	1550
Item Unit Weight	31,5
Item Unit Width	400
Item_UOM	set

### Packaging

Packaging GTIN PL1	06414905542857
Packaging GTIN PL4	06414905542864
Packaging Height PL1	1650
Packaging Height PL4	1900
Packaging Length PL1	1560
Packaging Length PL4	1600
Packaging Quantity PL1	1
Packaging Quantity PL4	3
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	1,0296
Packaging Volume PL4	3,648
Packaging Weight PL1	31,6
Packaging Weight PL4	119,8
Packaging Width PL1	400
Packaging Width PL4	1200

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)