


**Uponor Combi Port Gen return temp limit RTB 0-40°C, Kvs = 1,8****1116223**

- For Combi Ports

**About Uponor Combi Port Gen return temp limit RTB 0-40°C, Kvs = 1,8****Specification**


- Accessory components for hydraulic, safety, and control functions
- Designed for direct compatibility with Combi Port heat interface units and Central Port units
- Includes valves, connections, extensions, and functional add-ons
- Suitable for heating and domestic hot water applications
- Engineered for reliable integration into Uponor system solutions

**Application**

- Accessories for Uponor Combi Port heat interface units and Central Ports
- Decentralized heating and domestic hot water systems
- Centralized domestic hot water systems
- Residential and multi-dwelling buildings
- New installations and system extensions
- Commissioning, balancing, and system optimization

## Uponor Combi Port Gen return temp limit RTB 0-40°C, Kvs = 1,8

1116223



### Product code

Item no EAN 6414900295864

Item no GTIN 06414900295864

### Dimensions

Item Unit Height 45

Item Unit Length 60

Item Unit Weight 0,33

Item Unit Width 45

Item\_UOM pce

### Measurements

Length 60

### Packaging

Packaging GTIN PL1 06414900392310

Packaging Height PL1 55

Packaging Length PL1 90

Packaging Material (number) PL1 20

Packaging Material PL1 Corrugated fibreboard

Packaging Material (short) PL1 PAP

Packaging Quantity PL1 1

Packaging Type PL1 Base\_Box

Packaging Volume PL1 0,00032175

Packaging Weight PL1 0,38

Packaging Width PL1 65

### Technical data

Recycling Text Block PL1 Corrugated fibreboard

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavillion  
WD18 8GA, Watford  
UK

T +44 (0)1923 381212

E  
customerservice.uk.bfs@georgfi  
scher.com