



## Uponor Ecoflex house connection elbow Single 50x4,6/140

**1118765**

- For Ecoflex single carrier pipe systems
- Pre-insulated PE-Xa pipe elbow
- One medium pipe PE-Xa, SDR 11
- Max. Load 6bar / 80°C
- PUR foam, PE casing



### About Uponor Ecoflex house connection elbow Single

#### Specification

- All accessories are corrosion resistant.

#### Application



- Ecoflex accessories are designed for all below ground buried installations

#### Certification

-

## Uponor Ecoflex house connection elbow Single 50x4,6/140

1118765



### Product code

Item no EAN	6414905552283
Item no GF	35001118765
Item no GTIN	06414905552283

### Dimensions

Item Unit Height	140
Item Unit Length	1400
Item Unit Weight	3,78
Item Unit Width	1100
Item_UOM	pce

### Measurements

LENGTH_L	900
Length (l1)	200
Length (l2)	1200
Length (l3)	200
Outer Diameter_do	140
Outer Diameter_do1	50
Wall thickness_s1	4,6

### Packaging

Packaging GTIN PL1	06414905630950
Packaging Height PL1	140
Packaging Length PL1	1400
Packaging Quantity PL1	1
Packaging Type PL1	Piece
Packaging Volume PL1	0,2156
Packaging Weight PL1	3,78
Packaging Width PL1	1100

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)