


## Uponor Ecoflex house connection elbow Single 90x8,2/200

**1118768**

- For Ecoflex single carrier pipe systems
- Pre-insulated PE-Xa pipe elbow
- One medium pipe PE-Xa, SDR 11
- Max. Load 6bar / 80°C
- PUR foam, PE casing



### About Uponor Ecoflex house connection elbow Single

#### Specification

- All accessories are corrosion resistant.

#### Application


- Ecoflex accessories are designed for all below ground buried installations

#### Certification

-

## Uponor Ecoflex house connection elbow Single 90x8,2/200

1118768



### Product code

Item no EAN 6414905552184

Item no GTIN 06414905552184

### Dimensions

Item Unit Height 200

Item Unit Length 1400

Item Unit Weight 10,5

Item Unit Width 1100

Item\_UOM pce

### Measurements

LENGTH\_L 900

Length (l1) 200

Length (l2) 1200

Length (l3) 200

Outer Diameter\_do 200

Outer Diameter\_do1 90

Wall thickness\_s1 8,2

### Packaging

Packaging GTIN PL1 06414905558506

Packaging Height PL1 200

Packaging Length PL1 1400

Packaging Quantity PL1 1

Packaging Type PL1 Piece

Packaging Volume PL1 0,308

Packaging Weight PL1 10,5

Packaging Width PL1 1100

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)