


Uponor Ecoflex house connection elbow Twin 2x32x2,9/140

1118772

- For Ecoflex twin carrier pipe systems
- Pre-insulated PE-Xa pipe elbow
- Two medium pipes PE-Xa
- Max. load 6 bar / 80°C
- PUR foam, PE casing



About Uponor Ecoflex house connection elbow Twin

Specification

- All accessories are corrosion resistant.

Application


- Ecoflex accessories are designed for all below ground buried installations

Certification

-

Uponor Ecoflex house connection elbow Twin 2x32x2,9/140

1118772



Product code

Item no EAN 6414905552221

Item no GTIN 06414905552221

Dimensions

Item Unit Height 140

Item Unit Length 1400

Item Unit Weight 5,25

Item Unit Width 1100

Item_UOM pce

Measurements

LENGTH_L 900

Length (l1) 200

Length (l2) 1200

Length (l3) 200

Outer Diameter_do 140

Outer Diameter_do1 32

Wall thickness_s1 2,9

Packaging

Packaging GTIN PL1 06414905631001

Packaging Height PL1 140

Packaging Length PL1 1400

Packaging Quantity PL1 1

Packaging Type PL1 Piece

Packaging Volume PL1 0,2156

Packaging Weight PL1 5,25

Packaging Width PL1 1100

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb